

**OPTIMA PLUS** Fixed and Sit/Sit Height Adjustable



---

**Product Overview**

The Optima Plus range offers myriad footprints to suit the demands of the majority of applications. The unique design of Optima Plus and the minimal number of components required, ensures a swift and efficient assembly process, reducing installation costs. The cantilever leg frame is supported by an integral MFC modesty panel that can be colour matched to the work surface or supplied in a contract finish. Within the range, a height adjustable workstation offers height adjustment from 650mm to 850mm via a manual rotating handle, that is easily operated by the user and when not in use, discreetly retracts within the frame.

A range of desk mounted screens are compatible with Optima Plus workstations, enabling workspace between users to be separated. In addition, a full range of accessories are compatible including monitor arms, CPU holders, and desktop electrics.

# OPTIMA PLUS

## Sit/Sit Height Adjustable Workstations







Metal: Silver RAL 9006 (Standard), Black Graphite, White RAL 9003  
MFC: Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White  
Edging: White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only  
Veneer: Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

Description	Code	W	D	H	Price		
					MFC	Veneer	
 <p><b>Optima Plus Height Adjustable Rectangular Desk</b></p> <p>Available with 800mm and 600mm Ends. Crank handle height adjustment.</p>	OPR18/HA	1800	800	650-850			
	OPR16/HA	1600	800	650-850			
	OPR14/HA	1400	800	650-850			
	OPR12/HA	1200	800	650-850			
	OPR10/HA	1000	800	650-850			
	OPR8/HA	800	800	650-850			
	OPR18/6/HA	1800	600	650-850			
	OPR16/6/HA	1600	600	650-850			
	OPR14/6/HA	1400	600	650-850			
	OPR12/6/HA	1200	600	650-850			
	OPR10/6/HA	1000	600	650-850			
	OPR8/6/HA	800	600	650-850			
	 <p><b>Optima Plus Height Adjustable Bow Fronted Rectangular Desk</b></p> <p>Crank handle height adjustment.</p>	OPRB18/HA	1800	900	650-850		
		OPRB16/HA	1600	900	650-850		
 <p><b>Optima Plus Height Adjustable D Ended Desk</b></p> <p>Crank handle height adjustment. Right-hand shown.</p>	OPR22D RH/HA	2200	800	650-850			
	OPR22D LH/HA	2200	800	650-850			
	OPR20D RH/HA	2000	800	650-850			
	OPR20D LH/HA	2000	800	650-850			
 <p><b>Optima Plus Height Adjustable Crescent Workstation</b></p> <p>Crank handle height adjustment. 600mm return. Right-hand shown.</p>	OPC18 RH/HA	1800	1200	650-850			
	OPC18 LH/HA	1800	1200	650-850			
	OPC16 RH/HA	1600	1200	650-850			
	OPC16 LH/HA	1600	1200	650-850			
	OPC14 RH/HA	1400	1200	650-850			
	OPC14 LH/HA	1400	1200	650-850			
 <p><b>Optima Plus Height Adjustable Bow Fronted Crescent Workstation</b></p> <p>Crank handle height adjustment. 600mm return. Right-hand shown.</p>	OPCB18 RH/HA	1800	1300	650-850			
	OPCB18 LH/HA	1800	1300	650-850			
 <p><b>Optima Plus Height Adjustable Single Wave Desk</b></p> <p>Available with 1000mm x 800mm and 800mm x 600mm ends. Crank handle height adjustment. Right-hand shown.</p>	OPW18 RH/HA	1800	1000-800	650-850			
	OPW18 LH/HA	1800	1000-800	650-850			
	OPW16 RH/HA	1600	1000-800	650-850			
	OPW16 LH/HA	1600	1000-800	650-850			
	OPW14 RH/HA	1400	1000-800	650-850			
	OPW14 LH/HA	1400	1000-800	650-850			
	OPW12 RH/HA	1200	1000-800	650-850			
	OPW12 LH/HA	1200	1000-800	650-850			
	OPW18/6 RH/HA	1800	800-600	650-850			
	OPW18/6 LH/HA	1800	800-600	650-850			
	OPW16/6 RH/HA	1600	800-600	650-850			
	OPW16/6 LH/HA	1600	800-600	650-850			
	OPW14/6 RH/HA	1400	800-600	650-850			
	OPW14/6 LH/HA	1400	800-600	650-850			
	OPW12/6 RH/HA	1200	800-600	650-850			
	OPW12/6 LH/HA	1200	800-600	650-850			

# OPTIMA PLUS

## Sit/Sit and Fixed Height Workstations and Accessories






**Metal:** Silver RAL 9006 (Standard), Black Graphite, White RAL 9003  
**MFC:** Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White  
**Edging:** White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only  
**Veneer:** Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

Description		Code	W	D	H	Price
	<b>Optima Plus Height Adjustable 120 Degree Workstation</b>  Crank handle height adjustment. Can be configured as singular workstations or in modules of 3, 6, 9 etc.					
	1200mm x 1200mm (800mm Ends)	OP120/HA	2078 (Extreme)	800	650-850	MFC Veneer
	1000mm x 1000mm (600mm Ends)	OP120/6/HA	1732 (Extreme)	600	650-850	
	<b>Wire Management Tray</b>  Cable management system for Optima Plus, Flexi and Windsor desking ranges.					
		OF11	1475	100	110	
		OF10	1385	100	110	
		OF9	1275	100	110	
		OF8	1185	100	110	
		OF7	1075	100	110	
		OF6	970	100	110	
		OF5	900	100	110	
		OF4	860	100	110	
		OF3	755	100	110	
		OF2	670	100	110	
		OF1	500	100	110	
	<b>Slinky Cable Riser</b>  Silver White Black					
		SCR/S (Silver)	-	-	-	
		SCR/W (White)	-	-	-	
		SCR/B (Black)	-	-	-	
<b>Please Note:</b> Optima Plus height adjustable workstations do not provide upright wire management within the leg frame. As an alternative, use slinky cable risers.						
	<b>Optima Plus Fixed Height Rectangular Desk</b>  Available with 800mm and 600mm Ends. Wire managed legs.					
		OPR18	1800	800	725	
		OPR16	1600	800	725	
		OPR14	1400	800	725	
		OPR12	1200	800	725	
		OPR10	1000	800	725	
		OPR8	800	800	725	
		OPR18/6	1800	600	725	
		OPR16/6	1600	600	725	
		OPR14/6	1400	600	725	
		OPR12/6	1200	600	725	
		OPR10/6	1000	600	725	
		OPR8/6	800	600	725	
	<b>Optima Plus Fixed Height Bow Fronted Rectangular Desk</b>  Wire managed legs.					
		OPRB18	1800	900	725	
		OPRB16	1600	900	725	
	<b>Optima Plus Fixed Height D Ended Desk</b>  Wire managed legs. Right-hand shown.					
		OPR22D RH	2200	800	725	
		OPR22D LH	2200	800	725	
		OPR20D RH	2000	800	725	
		OPR20D LH	2000	800	725	

# OPTIMA PLUS

## Fixed Height Workstations







**Metal:** Silver RAL 9006 (Standard), Black Graphite, White RAL 9003  
**MFC:** Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White  
**Edging:** White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only  
**Veneer:** Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

Description		Code	W	D	H	Price	
						MFC	Veneer
 <p><b>Optima Plus Fixed Height Radius Executive Desk</b></p> <p>Wire managed legs. Right-hand shown.</p>	OPRE19 RH	1900	1000	725			
	OPRE19 LH	1900	1000	725			
 <p><b>Optima Plus Fixed Height Crescent Workstation</b></p> <p>Wire managed legs. 600mm return. Right-hand shown.</p>	OPC18 RH	1800	1200	725			
	OPC18 LH	1800	1200	725			
	OPC16 RH	1600	1200	725			
	OPC16 LH	1600	1200	725			
	OPC14 RH	1400	1200	725			
	OPC14 LH	1400	1200	725			
 <p><b>Optima Plus Fixed Height Bow Fronted Crescent Workstation</b></p> <p>Wire managed legs. 600mm return. Right-hand shown.</p>	OPCB18 RH	1800	1300	725			
	OPCB18 LH	1800	1300	725			
 <p><b>Optima Plus Fixed Height Radius Crescent Workstation</b></p> <p>Wire managed legs. 600mm return. Right-hand shown.</p>	OPRC19 RH	1900	1200	725			
	OPRC19 LH	1900	1200	725			
 <p><b>Optima Plus Fixed Height Symmetrical Crescent Workstation</b></p> <p>Wire managed legs. 2 x 800mm ends.</p>	OPSC18A	1800	1800	725			
	OPSC18B	1800	1800	725			
	OPSC16A	1600	1600	725			
	OPSC16B	1600	1600	725			
 <p><b>Optima Plus Fixed Height Single Wave Desk</b></p> <p>Available with 1000mm-800mm and 800mm-600mm Ends. Wire managed legs. Right-hand shown.</p>	OPW18 RH	1800	1000-800	725			
	OPW18 LH	1800	1000-800	725			
	OPW16 RH	1600	1000-800	725			
	OPW16 LH	1600	1000-800	725			
	OPW14 RH	1400	1000-800	725			
	OPW14 LH	1400	1000-800	725			
	OPW12 RH	1200	1000-800	725			
	OPW12 LH	1200	1000-800	725			
	OPW18/6 RH	1800	800-600	725			
	OPW18/6 LH	1800	800-600	725			
	OPW16/6 RH	1600	800-600	725			
	OPW16/6 LH	1600	800-600	725			
	OPW14/6 RH	1400	800-600	725			
	OPW14/6 LH	1400	800-600	725			
	OPW12/6 RH	1200	800-600	725			
	OPW12/6 LH	1200	800-600	725			

# OPTIMA PLUS

## Fixed Height Workstations






**Metal:** Silver RAL 9006 (Standard), Black Graphite, White RAL 9003  
**MFC:** Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White  
**Edging:** White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only  
**Veneer:** Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

Description		Code	W	D	H	Price	
						MFC	Veneer
 <p><b>Optima Plus Fixed Height Double Wave Desk</b></p> <p>Available with 1000mm-900mm-1000mm and 900mm-800mm-900mm ends. Wire managed legs.</p>	OPDW18/10	1800	1000	725			
	OPDW16/10	1600	1000	725			
	OPDW18/9	1800	900	725			
	OPDW16/9	1600	900	725			
 <p><b>Optima Plus Fixed Height Kidney Desk</b></p> <p>Wire managed legs.</p>	OPK20	2000 (Extreme)	800	725			
 <p><b>Optima Plus Fixed Height 120 Degree Workstation</b></p> <p>Can be configured as singular workstations or in modules of 3, 6,9 etc. Wire managed legs.</p>	1200mm x 1200mm (800mm Ends)	OP120	2078 (Extreme)	800	725		
	1000mm x 1000mm (600mm Ends)	OP120/6	1732 (Extreme)	600	725		
 <p><b>Optima Plus Fixed Height Secretarial Return</b></p> <p>Wire managed legs. Right-hand shown.</p>	OPSR10/6 RH OPSR10/6 LH	1000 1000	600 600	725 725			
 <p><b>Optima Plus Fixed Height Radius Reception Desk</b></p> <p>Wire managed legs.</p>	OPRR20	2000 (Extreme)	800	725			
	OPRR18	1800 (Extreme)	800	725			
 <p><b>Optima Plus Fixed Height Reception Desk</b></p> <p>850mm and 600mm ends are slightly radiused. Wire managed legs. Right-hand shown.</p>	OPRD RH	1850 (Extreme)	1850 (Extreme)	725			
	OPRD LH	1850 (Extreme)	1850 (Extreme)	725			

# OPTIMA PLUS

## Workstations and Accessories

Metal: Silver RAL 9006 (Standard), Black Graphite, White RAL 9003  
 MFC: Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White  
 Edging: White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only  
 Veneer: Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

Description		Code	W	D	H	Price	
						MFC	Veneer
	<b>Reception Shelf</b> Right-hand shown.	RS RH RS LH	1850 1850	1650 1650	225 225		
	<b>Reception Glass Shelf</b> 10mm toughened clear glass. Right-hand shown.	RSG RH RSG LH	1850 1850	1650 1650	215 215		
	<b>Reception Shelf</b>	RS 14 RS 12 RS 10	1400 1200 1000	300 300 300	225 225 225		
	<b>Reception Glass Shelf</b> 10mm toughened clear glass.	RSG 14 RSG 12 RSG 10	1400 1200 1000	300 300 300	215 215 215		
	<b>Optima Plus Linking Workstations</b> Links 800mm and 600mm deep desks. Wire managed legs.						
	1225mm x 1225mm (800mm Ends)	OPLW8/6	1225	1225	725		
	1083mm x 1083mm (800mm Ends)	OPLW8/4	1083	1083	725		
	1025mm x 1025mm (600mm Ends)	OPLW6	1025	1025	725		
	<b>Optima Plus Linking Workstations</b> Links 800mm deep desks.	OPLU90R	800	800	25		
	<b>Optima Plus Linking Workstations</b> Links 800mm deep desks.	OPLU8L	800	800	725		



# OPTIMA PLUS

## Accessories

Metal: Silver RAL 9006 (Standard), Black Graphite, White RAL 9003

	Description	Code	W	D	H	Price
	<b>Wire Management Tray*</b> Cable management system for Optima Plus, Flexi and Windsor desking ranges.	OF11	1475	100	110	
		OF10	1385	100	110	
		OF9	1275	100	110	
		OF8	1185	100	110	
		OF7	1075	100	110	
		OF6	970	100	110	
		OF5	900	100	110	
		OF4	860	100	110	
		OF3	755	100	110	
		OF2	670	100	110	
		OF1	500	100	110	
			<b>Optima Plus CPU Holder</b> Adjustable CPU holder for PC towers. Rotates a full 360 degrees for complete access to cables and ports. Includes mounting kit.	OPCPU (Black)	76-254	-
OPCPUW (White)	76-254			-	305-508	
	<b>Flex Monitor Arm Post Mounted</b> Monitor arm with two folding links. Manual post height adjustment.	Silver Clamp on Desk Fixing	F2LMP (Silver)	-	-	-
		White Clamp on Desk Fixing	F2LMP/W (White)	-	-	-
		Silver Bolt through Desk Fixing	F2LMPBT (Silver)	-	-	-
		White Bolt through Desk Fixing	F2LMPBT/W (White)	-	-	-
	<b>Flex Monitor Arm Post Mounted</b> Monitor arm with two folding links. Front end height adjustment.	Silver Clamp on Desk Fixing	F2LGP (Silver)	-	-	-
		White Clamp on Desk Fixing	F2LGP/W (White)	-	-	-
		Silver Bolt through Desk Fixing	F2LGPBT (Silver)	-	-	-
		White Bolt through Desk Fixing	F2LGPBT/W (White)	-	-	-
	<b>Flex Double Monitor Arm - Post Mounted</b> Double arm, each with two folding links. Manual post height adjustment and front end adjustment.	Silver Clamp on Desk Fixing	F4LGP (Silver)	-	-	-
		White Clamp on Desk Fixing	F4LGP/W (White)	-	-	-












# OPTIMA PLUS

## Meeting Ends and Meeting Tables






**Metal:** Silver RAL 9006 (Standard), Black Graphite, White RAL 9003  
**MFC:** Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White  
**Edging:** White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only  
**Veneer:** Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

Description		Code	W	D	H	Price	
						MFC	Veneer
	<b>Optima Plus Meeting Extension</b> Complete with 120mm diameter support leg on 300mm diameter base.	OPSCMT16 OPSCMT12 OPSCMT8	1600 1200 800	660 600 600	725 725 725		
	<b>Optima Plus 120 Degree Workstation Meeting Extension</b> Complete with 120mm diameter support leg on 300mm diameter base. Suitable for 120 degree desking.	OPSCMT120	1600	660	725		
	<b>Optima Plus Meeting Extension</b> Complete with 2 x 60mm diameter support legs. Suitable for 2000mm wide double wave desking.	OPDWSCMT	2000	800	725		
	<b>Optima Plus Meeting Extension</b> Complete with 120mm diameter support leg on 300mm diameter base. Suitable for 1800mm wide double wave desking.	OPDWSCMT18	1800	800	725		
	<b>Optima Plus Rectangular Meeting Table</b> 'I' frame leg configuration with modesty panel.	OPRMT18 OPRMT16 OPRMT14 OPRMT12	1800 1600 1400 1200	800 800 800 800	725 725 725 725		
	<b>Optima Plus Single D Ended Meeting Table</b> 'I' frame leg configuration with modesty panel.	OPDMT22 OPDMT20 OPDMT18 OPDMT16	2200 2000 1800 1600	800 800 800 800	725 725 725 725		
	<b>Optima Plus Double D Ended Meeting Table</b> 'I' frame leg configuration with modesty panel.	OPDDMT26 OPDDMT24 OPDDMT22 OPDDMT20	2600 2400 2200 2000	800 800 800 800	725 725 725 725		

# OPTIMA PLUS

## Conference Tables

Metal: Silver RAL 9006 (Standard), Black Graphite, White RAL 9003  
MFC: Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White  
Edging: White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only  
Veneer: Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

Description		Code	W	D	H	Price	
						MFC	Veneer
	<p><b>Optima Plus Double D Ended Conference Table</b></p> <p>120mm diameter legs on 685mm diameter bases. Seating up to 8 people.</p>	<p>OPCONF1CA OPCONF1CB</p>	<p>2000 2400</p>	<p>1200 1200</p>	<p>725 725</p>		
	<p><b>Optima Plus Rectangular Conference Table</b></p> <p>100mm square legs on 500mm square bases. Seating up to 8 people. Wire managed column.</p>	<p>OPCONF1SA OPCONF1SB</p>	<p>2000 2400</p>	<p>1200 1200</p>	<p>725 725</p>		
	<p><b>Optima Plus Double D Ended Conference Table</b></p> <p>'I' frame leg configuration with modesty panel.</p> <p>Supplied with 1 x 1320mm (Approx) Underframe. Seating up to 8 People.</p> <p>Supplied with 1 x 1720mm (Approx) Underframe. Seating up to 8 People.</p>	<p>OPCONF1A OPCONF1B</p>	<p>2000 2400</p>	<p>1200 1200</p>	<p>725 725</p>		
	<p><b>Optima Plus Double D Ended Conference Table</b></p> <p>'I' frame leg configuration with modesty panel.</p> <p>Supplied in 2 x 1700mm Sections with 2 x 1320mm (Approx) Underframes. Seating up to 10 People.</p>	<p>OPCONF2</p>	<p>3400</p>	<p>1200</p>	<p>725</p>		
	<p><b>Optima Plus Double D Ended Conference Table</b></p> <p>'I' frame leg configuration with modesty panel.</p> <p>Supplied in 2 x 1700mm Sections and 1 x 1400mm Centre Section with 3 x 1320mm (Approx) Underframes. Seating up to 14 People.</p>	<p>OPCONF3</p>	<p>4800</p>	<p>1200</p>	<p>725</p>		