


VERCO

VERCO

V. smart


stock hide collection  
april 2013




white



ivory



tan



stallion




burgundy



black



bottle



damson



delft



## The Range

All leathers in the Stock Hide Collection have undergone the most vigorous testing and are ideally suited for contract environments. Each hide is different in terms of size and appearance, with its own character and qualities.

Please note that leather is a natural product, each hide is unique and surface, growth and bruise marks distinguish it from plastic. These marks are features of leather, not faults.

## Upholstery Requirements

Please note that each hide will vary slightly in size and shape.  
A typical hide size is between 4.5-5.4sq.m (or 48-55 sq.ft)

## Accreditations

ISO 9001      Quality Assurance  
ISO 14001     Environmental Management

## Care and Maintenance

Protect your leather furniture from direct sunlight, excessive heat and sharp objects. Do not leave furniture in prolonged or strong sunlight. Avoid direct heat from fires and radiators which can dry out and distort the leather.

Leather is naturally very durable, and its resistance to staining and abrasion from dirt is enhanced by protective coatings applied at the manufacturing stage. Regular dusting should help keep the leather in perfect condition. When necessary, the upholstery should be gently wiped with a non-abrasive cloth, dampened with warm soapy water. Immediately dry with a clean and dry non-abrasive cloth. Do not use neat, strong or abrasive cleaning fluids or detergents, as these may affect the colour and finish of the hide. Avoid using any wax, cream or polish, as these will affect the feel of the leather.

Blot excess liquid spillages immediately with a clean absorbent cloth or sponge. Dry with a clean non-abrasive cloth and then allow to dry naturally. Don't use a hairdryer or apply direct heat. Proprietary cleaners may be required for more stubborn stains. Do not use cleaning fluid that does not specifically state that it can be used on leather.