



Product Overview

Linnea is a comprehensive range offering a variety of solutions for diverse applications. The range is inclusive of single and double benches, managerial workstations, meeting tables, meeting ends and reception desks. It is available with an angled or goalpost leg frame, supported by a steel sub-frame offering strength and stability. Shared legs are a feature of the Linnea range, minimising the number of legs required and increasing the useable space under the workstation.

Double benches are supplied with sliding tops and horizontal wire management trays as standard, with an optional sliding top locking device, should the user require the top to be locked in the open or closed position.

Limited desktop height adjustment is an option via a spacer kit, enabling the workstation top to elevate in increments of 25mm starting at a standard desk height of 725mm to 750mm, and 775mm. In addition, a full range of accessories are compatible including monitor arms, CPU holders, decorative slab end panels, desktop electrics and desk mounted screens, enabling workspace to be private and defined.

Description Code W D H Price



Please Note:
 90 degree leg now available for Linnea. See page 52 for more details.



Linnea Rectangular Desk

Available with 1000mm, 800mm, 700mm and 600mm Ends.
 Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52).
 25mm fixed top.

Code	W	D	H	MFC	Veneer
LR20/10	2000	1000	725		
LR18/10	1800	1000	725		
LR16/10	1600	1000	725		
LR14/10	1400	1000	725		
LR12/10	1200	1000	725		
LR20/8	2000	800	725		
LR18/8	1800	800	725		
LR16/8	1600	800	725		
LR15/8	1500	800	725		
LR14/8	1400	800	725		
LR12/8	1200	800	725		
LR10/8	1000	800	725		
LR20/7	2000	700	725		
LR18/7	1800	700	725		
LR16/7	1600	700	725		
LR15/7	1500	700	725		
LR14/7	1400	700	725		
LR12/7	1200	700	725		
LR10/7	1000	700	725		
LR20/6	2000	600	725		
LR18/6	1800	600	725		
LR16/6	1600	600	725		
LR15/6	1500	600	725		
LR14/6	1400	600	725		
LR12/6	1200	600	725		
LR10/6	1000	600	725		

Description	Code	W	D	H	Price	
					MFC	Veneer



Linnea Rectangular Desk with Shared Inset Leg

Available with 800mm, 700mm and 600mm Ends.
Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52).
25mm fixed top.

LR20/8/INT	2000	800	725		
LR18/8/INT	1800	800	725		
LR16/8/INT	1600	800	725		
LR15/8/INT	1500	800	725		
LR14/8/INT	1400	800	725		
LR12/8/INT	1200	800	725		
LR10/8/INT	1000	800	725		
LR20/7/INT	2000	700	725		
LR18/7/INT	1800	700	725		
LR16/7/INT	1600	700	725		
LR15/7/INT	1500	700	725		
LR14/7/INT	1400	700	725		
LR12/7/INT	1200	700	725		
LR10/7/INT	1000	700	725		
LR20/6/INT	2000	600	725		
LR18/6/INT	1800	600	725		
LR16/6/INT	1600	600	725		
LR15/6/INT	1500	600	725		
LR14/6/INT	1400	600	725		
LR12/6/INT	1200	600	725		
LR10/6/INT	1000	600	725		



Linnea Angular Workstation

Available with 800mm x 600mm and 600mm x 600mm Ends.
Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52).
600mm return.
25mm fixed top.
Right-hand shown.

L20/10/8LH	2000	1000-800	725		
L20/10/8RH	2000	1000-800	725		
L18/10/8LH	1800	1000-800	725		
L18/10/8RH	1800	1000-800	725		
L16/10/8LH	1600	1000-800	725		
L16/10/8RH	1600	1000-800	725		
L14/10/8LH	1400	1000-800	725		
L14/10/8RH	1400	1000-800	725		
L20/8/6LH	2000	800-600	725		
L20/8/6RH	2000	800-600	725		
L18/8/6LH	1800	800-600	725		
L18/8/6RH	1800	800-600	725		
L16/8/6LH	1600	800-600	725		
L16/8/6RH	1600	800-600	725		
L14/8/6LH	1400	800-600	725		
L14/8/6RH	1400	800-600	725		



Linnea Secretarial Return

Available with 800mm and 600mm depth.
Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52).
25mm fixed top.
Right-hand shown.

LSR12/8LH	1200	800	725		
LSR12/8RH	1200	800	725		
LSR10/8LH	1000	800	725		
LSR10/8RH	1000	800	725		
LSR12/6LH	1200	600	725		
LSR12/6RH	1200	600	725		
LSR10/6LH	1000	600	725		
LSR10/6RH	1000	600	725		

Please Note:

Secretarial return only compatible with 800mm deep rectangular desks and angular workstations.
If attaching to angular workstations, suffix /X.



Linnea Radius Reception Desk

Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52).
25mm fixed top.

LRR20	2000 (Extreme)	800	725		
LRR18	1800 (Extreme)	800	725		

Metal: Silver RAL 9006 (Standard), Black Graphite, White RAL 9003
MFC: Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White
Edging: White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only
Veneer: Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.



Linnea Double Bench

Available with 1600mm (2 x 800mm) and 1200mm (2 x 600mm) Ends.
 Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52).
 Sliding top.
 Complete with central cable tray.

Description	Code	W	D	H	Price	
					MFC	Veneer
	L20/16	2000	1600	725		
	L18/16	1800	1600	725		
	L16/16	1600	1600	725		
	L15/16	1500	1600	725		
	L14/16	1400	1600	725		
	L12/16	1200	1600	725		
	L10/16	1000	1600	725		
	L20/14	2000	1400	725		
	L18/14	1800	1400	725		
	L16/14	1600	1400	725		
	L15/14	1500	1400	725		
	L14/14	1400	1400	725		
	L12/14	1200	1400	725		
	L10/14	1000	1400	725		
	L20/12	2000	1200	725		
	L18/12	1800	1200	725		
	L16/12	1600	1200	725		
	L15/12	1500	1200	725		
	L14/12	1400	1200	725		
	L12/12	1200	1200	725		
	L10/12	1000	1200	725		



Linnea Double Bench with Shared Inset Leg

Available with 1600mm (2 x 800mm) and 1200mm (2 x 600mm) Ends.
 Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52).
 Sliding top.
 Complete with central cable tray.

	L20/16/INT	2000	1600	725		
	L18/16/INT	1800	1600	725		
	L16/16/INT	1600	1600	725		
	L15/16/INT	1500	1600	725		
	L14/16/INT	1400	1600	725		
	L12/16/INT	1200	1600	725		
	L10/16/INT	1000	1600	725		
	L20/14/INT	2000	1400	725		
	L18/14/INT	1800	1400	725		
	L16/14/INT	1600	1400	725		
	L15/14/INT	1500	1400	725		
	L14/14/INT	1400	1400	725		
	L12/14/INT	1200	1400	725		
	L10/14/INT	1000	1400	725		
	L20/12/INT	2000	1200	725		
	L18/12/INT	1800	1200	725		
	L16/12/INT	1600	1200	725		
	L15/12/INT	1500	1200	725		
	L14/12/INT	1400	1200	725		
	L12/12/INT	1200	1200	725		
	L10/12/INT	1000	1200	725		


Please Note:

Mobile pedestal models DMPF, DMPF/N, DMP4 and DMP4/N will protrude 150mm with 1200mm deep Linnea double benches.
 As an alternative, use steel mobile pedestals

LPIN
 (Pair)







Please Note:

Sliding top locking pin compatible with Linnea double benches only.



Linnea Sliding Top Locking Pin



Spring loaded locking pin allowing bench to be locked in open and closed positions.
 Located under bench top.

Description	Code	W	D	H	Price
 <p>Linnea Height Settable Spacers for Double Benches</p> <p>Double bench spacer kits are supplied with 6 single arms, 12 x 25mm, 12 x 50mm and 12 x 75mm top spacers. Single arms replace the double shared arms on double bench installations. Adjusts both worktops and enables them to slide. Illustrated in red.</p>	LHSS/16D LHSS/14D LHSS/12D	-	-	-	
 <p>Linnea Height Settable Spacers for Single Workstations</p> <p>Single desk spacers come with 6 x 25mm, 6 x 50mm and 6 x 75mm top spacers. Non-sliding tops. Illustrated in red.</p>	LHSS/S	-	-	-	
 <p>Linnea 120 Degree Cluster Workstation</p> <p>Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52). Configured as a 3 person module.</p>					MFC Veneer
1200mm x 1200mm (800mm Ends)	LC120/12/8	2886 (Extreme)	-	725	
1200mm x 1200mm (600mm Ends)	LC120/12/6	2688 (Extreme)	-	725	
1000mm x 1000mm (600mm Ends)	LC120/10/6	2329 (Extreme)	-	725	
 <p>Linnea 120 Degree Cluster Workstation with Shared Inset Leg</p> <p>Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52). Configured as a 3 person module. Comes with 1 full leg and 1 intermediate leg.</p>					
1200mm x 1200mm (800mm Ends)	LC120/12/8/INT	2886 (Extreme)	-	725	
1200mm x 1200mm (600mm Ends)	LC120/12/6/INT	2688 (Extreme)	-	725	
1000mm x 1000mm (600mm Ends)	LC120/10/6/INT	2329 (Extreme)	-	725	
 <p>Linnea Single Desk Decorative Slab End and Leg Frame</p> <p>Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52). Designed to cover ends of Linnea runs. Can be retrofitted.</p>	LSDSE10 LSDSE08 LSDSE07 LSDSE06	-	-	-	
 <p>Linnea Double Desk Decorative Slab End and Leg Frame</p> <p>Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52). Designed to cover ends of Linnea runs. Can be retrofitted.</p>	LDDSE16 LDDSE14 LDDSE12	-	-	-	







Please Note:







If fitting screens on Linnea 120 degree cluster workstations, the 3 way link post ELP375/120 is required

Metal: Silver RAL 9006 (Standard), Black Graphite, White RAL 9003
MFC: Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White
Edging: White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only
Veneer: Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

Description	Code	W	D	H	Price
 <p>Linnea Optional 90 Degree Leg</p> <p>Optional 90 degree leg. Suitable for all Linnea desking where mentioned. No additional cost. Suffix /90.</p>	/90	-	-	-	
 <p>Linnea Steel Modesty Panels</p> <p>Illustrated in red.</p>	LRMP20	1760	-	275	
	LRMP18	1560	-	275	
	LRMP16	1360	-	275	
	LRMP15	1260	-	275	
	LRMP14	1160	-	275	
	LRMP12	960	-	275	
	LRMP10	760	-	275	
For Use with 2000mm LRR Desks	LRRMP20	1380	-	275	
For Use with 1800mm LRR Desks	LRRMP18	1260	-	275	



Description	Code	W	D	H	Price
 <p>Linnea Cable Risers</p> <p>Single channel cable riser (2 per pack). Illustrated in red.</p>	LLCR	-	-	-	
 <p>Linnea Cable Trays</p> <p>Cable trays can be accessed from front or back of desk via the easy slot and hook design. Illustrated in red.</p> <p>For Use with 1200mm 120 Degree Desks For Use with 1000mm 120 Degree Desks</p> <p>For Use with 2000mm LRR Desks For Use with 1800mm LRR Desks</p>	LRCT20 LRCT18 LRCT16 LRCT15 LRCT14 LRCT12 LRCT10 L120D12 L120D10 LRCT15 LRCT14	1470 1270 1070 970 870 670 470 850 630 970 870	222 222 222 222 222 222 222 222 222 222 222	75 75 75 75 75 75 75 75 75 75 75	
<p>Please Note: Cable trays for rectangular desks and angular workstations will only accept 2 gang sockets such as SK2/S</p>					
 <p>Linnea Intermediate Vertical Leg Wire Management Plates</p> <p>Available with 90 Degree Linnea Leg, Suffix /90 (See Page 52). Designed to conceal cables passing vertically into the horizontal cable trays. Illustrated in red.</p>	LCP16/INT LCP14/INT LCP12/INT	-	-	-	
<p>Please Note: Intermediate vertical leg wire management plates only compatible with Linnea double bench shared legs.</p>					
 <p>Linnea Slinky Cable Riser</p> <p>Silver White Black</p>	SCR/S (Silver) SCR/W (White) SCR/B (Black)	-	-	-	
 <p>Linnea CPU Holder</p> <p>Adjustable CPU holder for PC towers. Rotates a full 360 degrees for complete access to cables and ports. Includes mounting kit.</p> <p>Black White</p>	LCPU (Black) LCPUW (White)	76-254 76-254	-	305-508 305-508	
 <p>TFT Screen Monitor Arm Top Fixing Clamp</p> <p>Monitor with spring assisted tension.</p> <p>Polished Aluminium with Silver Trim Polished Aluminium with White Trim</p>	2LM2CS/TFC (Silver) 2LM2CW/TFC (White)	-	-	-	

Description	Code	W	D	H	Price	
					MFC	Veneer
 <p>Linnea Curved Extension For use with Linnea double benches without dividing screens and Linnea 120 degree clusters.</p>	LCME16/6	1600	650	725		
	LCME14/5	1400	500	725		
	LCME12/5	1200	500	725		
 <p>Linnea Curved Extension* For use with Linnea double benches with contract or system dividing screens.</p>	LCME16/6/S	1627	650	725		
	LCME14/5/S	1447	500	725		
	LCME12/5/S	1227	500	725		
<p>*Please Note: When configuring with Linnea 120 workstations that have screens, suffix /120.</p>						
 <p>Linnea Curved Extension* For use with Linnea double benches with acoustic dividing screens.</p>	LCME16/6/A	1638	650	725		
	LCME14/5/A	1438	500	725		
	LCME12/5/A	1238	500	725		
<p>*Please Note: When configuring with Linnea 120 workstations that have screens, suffix /120.</p>						
 <p>Linnea Straight Extension For use with Linnea double benches without dividing screens and Linnea 120 degree clusters.</p>	LSME16/6	1600	650	725		
	LSME14/5	1400	500	725		
	LSME12/5	1200	500	725		
 <p>Linnea Straight Extension* For use with Linnea double benches with contract or system dividing screens.</p>	LSME16/6/S	1627	650	725		
	LSME14/5/S	1427	500	725		
	LSME12/5/S	1227	500	725		
<p>*Please Note: When configuring with Linnea 120 workstations that have screens, suffix /120.</p>						
 <p>Linnea Straight Extension* For use with Linnea double benches with acoustic dividing screens.</p>	LSME16/6/A	1638	650	725		
	LSME14/5/A	1438	500	725		
	LSME12/5/A	1238	500	725		
<p>*Please Note: When configuring with Linnea 120 workstations that have screens, suffix /120.</p>						