
BIENVENUE

www.planscape.co.uk







The **Bienvenue** reception counters give visitors a warm welcome. Composed of high and low, straight and curved modules, with DDA extension for wheelchair users, including storage and cable routing, you can adapt this reception counter according to your requirements and layouts.

Choose **Bienvenue** to create a functional and modular reception area, for a controlled budget.

Characteristics




Metal modesty panel finishes




MFC finishes


HIGH COUNTER



HIGH 90° CORNER UNIT




LOW COUNTER




LOW 90° CORNER UNIT

panels.



LOW COUNTER WITH DDA(1 UNIT




(1) DDA = Disability Discrimination Act.

BIENVENUE









Metal modesty panel for 90° corner unit

Lacquered epoxy finish sheet metal modesty panel decorated with stamped patterns.



Technical description

- Structure made of 25 mm thick Structurex® melamine-coated panels.
- 2 mm thick shock-proof ABS edging.
- The high and low counters are equipped with 25 mm thick Structurex® melamine-coated modesty panels.
- 90° corner units with lacquered epoxy finish sheet metal modesty panel decorated with stamped patterns.
- Modules connected together by metal junction plates.
- Modules equipped with Ø 80 mm cable ports on the sides and on the worktops of the high counters to feed cables.
- Adjustable screw feet of Ø 25 mm and 10 mm range to compensate for any unevenness in the floor and allow perfect alignment between modules.









Metal modesty panel finishes



MFC finishes

S

Counters

| | Description | Dim. (cm) | Ref. | + Finishes |
|--|------------------|---------------------------------|----------------------------------|------------|
| High counters with worktop D 85 / H 110 cm | With worktop | L 85 L 125 L 145 L 165 | BJ243 BJ253 BJ263 BJ273 | + |
| 90° corner unit | High corner unit | H 110 | AE42 | + |
| D 85 to 101 cm | Low corner unit | H 72 | AE43 | + |

| ▶ Options | Dim. (cm) | Ref. | Finish |
|---|------------------------------------|--------|-----------|
| Single metal cable tray | D 13 / H 12 / Useful H 4 cm / L 60 | AF051K | Aluminium |
| Metal screen support For maximum 20 inch screen | D 18 / H 22,5 / L 24 | BY295G | Black |











Counters

| | | Description | Dim. (cm) | Ref. | + Finish |
|---|-----------------------|---|---------------|----------------|----------|
| Low counters D 85 / H 72 cm | | Without finish panel | L 85 L 125 | BB253 BJ283 | + |
| Low counters with DDA ⁽¹⁾ unit D 126 / H 72 cm | | Without finish panel | L 85 L 125 | BH643 BJ293 | + |
| Finish panel for low counters* | Right finishing panel | Right finishing panel Left finishing panel | | BH623 BH633 | + |

^{*} Compulsory when the low counter with DDA $^{\!(1)}$ unit is positioned at the end of the reception counter.

| ► Option | Description | Dim. (cm) | Ref. | Finish |
|-------------------------|---|--------------------|--------|-----------|
| Single metal cable tray | To be attached to Structurex®structural modesty panel | D 13 / H 12 / L 60 | AF051K | Aluminium |