


High tables PSD technical specification



High tables



- 1. Worktop - MFC 28 mm, ABS edge
- 2. OPTION WITH EXTRA CHARGE - worktop edge, colour: ash natural
- 3. Metal element - powder coated
- 4. Frame - metal, profile 50 × 50 mm
- 5. Natural wood - ash, coated with transparent varnish, profile 40 × 40 mm

High tables *




PSD72
1215 / 700 / 1100
43.5 kg



PSD74
1415 / 700 / 1100
49.3 kg



PSD76
1615 / 700 / 1100
54.55 kg




PSD78
1815 / 700 / 1100
59.05 kg




PSD82
1215 / 700 / 900
41.5 kg



PSD84
1415 / 700 / 900
47.3 kg



PSD86
1615 / 700 / 900
52.55 kg



PSD88
1815 / 700 / 900
57.35 kg

* dimensions expressed in millimeters: width x depth x height

Top



08 Black




26 Aluminum
satinato



31 Canadian oak



39 Polar birch



64 Cocoa



67 White pastel



106 Lowland
walnut



154 Anthracite




167 Grey oak




168 Natural oak



169 Honey oak



170 Acacia



171 Dark walnut

Base



Natural ash

Frame



M009 Aluminum
semi-mat RAL9006



M015 White
semi-mat RAL9010



M154 Anthracite
semi-mat RAL7043




M115 Black
semi-mat RAL9005

* OPTION WITH EXTRA CHARGE - worktop edge, colour: ash natural

High tables PSM technical specification



High tables



- 1. **Worktop** - MFC 28 mm, ABS edge
- 2. **Frame** - powder coated metal, profile 40x40 mm
- 3. **Leg** - powder coated steel, 50 x 50 mm

High tables *




PSM82
1215 / 700 / 900
42 kg



PSM84
1415 / 700 / 900
47.8 kg



PSM86
1615 / 700 / 900
53.05 kg



PSM88
1815 / 700 / 900
57.55 kg




PSM72
1215 / 700 / 1100
44.5 kg



PSM74
1415 / 700 / 1100
50.3 kg



PSM76
1615 / 700 / 1100
55.55 kg



PSM78
1815 / 700 / 1100
60.05 kg

* dimensions expressed in millimeters: width x depth x height

High tables PSM	Date of preparation 22.12.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 4/5
			products

Top



08 Black




26 Aluminum
satinato



31 Canadian oak




39 Polar birch



64 Cocoa



67 White pastel



106 Lowland
walnut



154 Anthracite




167 Grey oak



168 Natural oak



169 Honey oak



170 Acacia



171 Dark walnut

Frame



M009 Aluminum
semi-mat RAL9006



M015 White
semi-mat RAL9010



M154 Anthracite
semi-mat RAL7043




M115 Black
semi-mat RAL9005

High tables PSW technical specification




High tables




- 1. Leveling - 5 mm range
- 2. Profile - powder coated steel, Ø30 mm
- 3. Base - MFC 28 mm, ABS edge
- 4. Worktop - MFC 28 mm, ABS edge
- 5. Modesty panel - MFC 18 mm


High tables *




PSW52
1200 / 500 / 1100
42.3 kg




PSW56
1600 / 500 / 1100
47.8 kg




PSW58
1800 / 500 / 1100
52.25 kg



PSW72
1200 / 700 / 1100
53.1 kg



PSW76
1600 / 700 / 1100
61.95 kg



PSW78
1800 / 700 / 1100
64.2 kg

* dimensions expressed in millimeters: width x depth x height

High tables PSW	Date of preparation 22.12.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 4/5
			products

Top, base



08 Black




26 Aluminum
satinato



31 Canadian oak



39 Polar birch



64 Cocoa



67 White pastel



106 Lowland
walnut



154 Anthracite




167 Grey oak




168 Natural oak



169 Honey oak



170 Acacia



171 Dark walnut