
# www.planscape.co.uk

### KASSINI Fixed and Sit/Sit Height Adjustable



#### Product Overview

The Kassini range offers a myriad of footprints to suit the demands of the majority of applications. Each option fully utilises the unique wire management solution. Leg risers within the leg upright can be removed to enable cables to be routed vertically within the leg channel and directed into the modesty panel or wire management beam to discreetly house cables and wires. Power and data modules can easily be mounted at any position along the cable beams offering maximum flexibility for complex cable installations. The height adjustable workstations offer adjustment from 650mm to 850mm via a manual rotating handle that can be discreetly retracted within the frame, when not in use. The unique design of Kassini and the minimal number of components required, ensures a swift and efficient assembly process, reducing installation costs. Due to the nature of aluminium, Kassini offers an environmentally friendly solution as the lightweight frame can be re-cycled at the end of its life cycle.

A comprehensive range of desk mounted screens are compatible with Kassini workstations enabling workspaces to be separated and private. In addition, a full range of accessories are compatible including monitor arms, CPU holders, and desktop electrics.

#### **KASSINI** Sit/Sit Height Adjustable Workstations

Silver RAL 9006 (*Standard*), Black Graphite, White RAL 9003 Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Black (Add £25 Per Top). *25mm Panels Only* Oak, Walnut - Elite cannot guarantee contruity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched. Metal: MFC: Edging: Veneer:

				nat cannot be boor			
	Description	Code	W	D	H	Pr	ice
T	Kassini Height Adjustable Rectangular Desk Available with 800mm and 600mm Ends. Crank handle height adjustment. Horizontal wire management as standard.	KR18/HA KR16/HA KR14/HA KR12/HA KR10/HA KR8/HA KR18/6/HA KR16/6/HA KR14/6/HA	1800 1600 1400 1200 1000 800 1800 1600 1400	800 800 800 800 800 800 800 600 600	650-850 650-850 650-850 650-850 650-850 650-850 650-850 650-850 650-850	MFC	Veneer
	Kassini Height Adjustable Bow Fronted Rectangular Desk Crank handle height adjustment. Horizontal wire management as standard.	KR12/6/HA KR10/6/HA KR8/6/HA KRB18/HA KRB16/HA	1200 1000 800 1800 1600	600 600 600 900 900	650-850 650-850 650-850 650-850 650-850		
	Kassini Height Adjustable D Ended Desk Crank handle height adjustment. Horizontal wire management as standard. Right-hand shown.	KR22D RH/HA KR22D LH/HA KR20D RH/HA KR20D LH/HA	2200 2200 2000 2000	800 800 800 800	650-850 650-850 650-850 650-850		
	Kassini Height Adjustable Crescent Workstation Crank handle height adjustment. Horizontal wire management as standard. 600mm return. Right-hand shown.	KC18 RH/HA KC18 LH/HA KC16 RH/HA KC16 LH/HA KC14 RH/HA KC14 LH/HA	1800 1800 1600 1600 1400 1400	1200 1200 1200 1200 1200 1200	650-850 650-850 650-850 650-850 650-850 650-850		
	Kassini Height Adjustable Bow Fronted Crescent Workstation Crank handle height adjustment. Horizontal wire management as standard. 600mm return. Right-hand shown.	KCB18 RH/HA KCB18 LH/HA	1800 1800	1300 1300	650-850 650-850		
L.L	Kassini Height Adjustable Single Wave Desk Available with 1000mm-800mm and 800mm-600mm Ends. Crank handle height adjustment. Horizontal wire management as standard. Right-hand shown.	KW18 RH/HA KW18 LH/HA KW16 RH/HA KW16 LH/HA KW14 RH/HA KW14 LH/HA KW12 RH/HA KW12 LH/HA KW18/6 RH/HA	1800 1800 1600 1600 1400 1400 1200 1200 1800	1000-800 1000-800 1000-800 1000-800 1000-800 1000-800 1000-800 800-600	650-850 650-850 650-850 650-850 650-850 650-850		
		KW18/6 LH/HA KW16/6 RH/HA KW16/6 LH/HA KW14/6 RH/HA KW14/6 LH/HA KW12/6 RH/HA KW12/6 LH/HA	1800 1600 1600 1400 1400 1200 1200	800-600 800-600 800-600 800-600 800-600 800-600 800-600	650-850 650-850 650-850 650-850 650-850 650-850		

#### **KASSINI** Sit/Sit and Fixed Height Workstations

 Metal:
 Silver RAL 9006 (Standard), Black Graphite, White RAL 9003

 MFC:
 Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White

 Edging:
 White with Black (Add 225 Per Top), White with Laurentii Wenge (Add 225 Per Top), White with Plywood (Add 235 Per Top) - 25mm Panels Only

 Veneer:
 Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

and Accessories

nd Accessories	5				appearance of ven ok or colour matche	
	Description	Code	W	D	Н	Price
	Kassini Height Adjustable 120 Degree Workstation Crank handle height adjustment. Can be configured as a singular workstation or in modules of 3, 6, 9 etc. Horizontal wire management as standard. 1200mm x 1200mm (800mm Ends)	K120/HA K120/6/HA	2078 (Extreme) 1732	800 600	650-850	MFC Veneer
	1000mm x 1000mm (600mm Ends)	K120/0/HA	(Extreme)	000	650-850	
	Slinky Cable Riser Silver White Black	SCR/S (Silver) SCR/W (White) SCR/B (Black) Please Note: Kassini height adjusta	- - -	- - -	- - -	nht wire
an .		management within t				
T	Kassini Fixed Height Rectangular Desk Available with 800mm and 600mm Ends. Horizontal and vertical wire management as standard.	KR18 KR16 KR14 KR12 KR10 KR8	1800 1600 1400 1200 1000 800	800 800 800 800 800 800	725 725 725 725 725 725 725 725	
3		KR18/6 KR16/6 KR14/6 KR12/6 KR10/6 KR8/6	1800 1600 1400 1200 1000 800	600 600 600 600 600	725 725 725 725 725 725 725	
R	Kassini Fixed Height Bow Fronted Rectangular Desk Horizontal and vertical wire management as standard.	KRB18 KRB16	1800 1600	900 900	725 725	
	Kassini Fixed Height D Ended Desk Horizontal and vertical wire management as standard. Right-hand shown.	KR22D RH KR22D LH KR20D RH KR20D LH	2200 2200 2000 2000	800 800 800 800	725 725 725 725 725	
T	Kassini Fixed Height Radius Executive Desk Horizontal and vertical wire management as standard. Right-hand shown.	KRE19 RH KRE19 LH	1900 1900	1000 1000	725 725	
	Kassini Fixed Height Crescent Workstation Horizontal and vertical wire management as standard. 600mm return. Right-hand shown.	KC18 RH KC18 LH KC16 RH KC16 LH KC14 RH KC14 LH	1800 1800 1600 1600 1400 1400	1200 1200 1200 1200 1200 1200	725 725 725 725 725 725 725 725	

#### **KASSINI** Fixed Height Workstations

Silver RAL 9006 (Standard), Black Graphite, White RAL 9003 Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White White with Black (Add 225 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Blywood (Add £35 Per Top) - 25mm Panels Only Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched. Metal: MFC: Edging: Veneer:





B

A

		Ente process pre-	veneered Doards i	nal cannol de dook	or colour matche	1.	
	Description	Code	W	D	Н	Pr	ice
	Kassini Fixed Height Bow Fronted Crescent Workstation Horizontal and vertical wire management as standard. 600mm return. Right-hand shown.	KCB18 RH KCB18 LH	1800 1800	1300 1300	725 725	MFC	Veneer
Ĩ	Kassini Fixed Height Radius Crescent Workstation Horizontal and vertical wire management as standard. 600mm return. Right-hand shown.	KRC19 RH KRC19 LH	1900 1900	1200 1200	725 725		
	Kassini Fixed Height Symmetrical Crescent Workstation Horizontal and vertical wire management as standard. 2 x 800mm ends.	KSC18A KSC18B KSC16A KSC16B Please Note: The grain direction is	1800 1800 1600 1600 as illustrated	1800 1800 1600 1600	725 725 725 725 725		
	Kassini Fixed Height Single Wave Desk Available with 1000mm-800mm and 800mm-600mm Ends. Horizontal and vertical wire management as standard. Right-hand shown.	KW18 RH KW18 LH KW16 RH KW16 LH KW14 LH KW12 RH KW12 LH KW18/6 RH KW18/6 LH KW16/6 RH KW16/6 RH KW14/6 RH KW14/6 LH KW12/6 RH KW12/6 LH	1800 1800 1600 1400 1400 1200 1200 1800 1600 1600 1400 1400 1200	1000-800 1000-800 1000-800 1000-800 1000-800 1000-800 1000-800 800-600 800-600 800-600 800-600 800-600 800-600 800-600 800-600	725 725 725 725 725 725 725 725 725 725		
	Kassini Fixed Height Double Wave Desk Available with 900mm-800mm-900mm Ends Only. Horizontal and vertical wire management as standard.	KDW18/9 KDW16/9	1800 1600	900 900	725 725		



1	
Υ.	· · · · ·
2	

#### **KASSINI** Fixed Height Workstations

 Metal:
 Silver RAL 9006 (Standard), Black Graphite, White RAL 9003

 MFC:
 Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White

 Edging:
 White with Black (Add 225 Per Top), White with Black (Add 225 Per Top), White with Plywood (Add 235 Per Top) - 25mm Panels Only

 Veneer:
 Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

 
 Veneer:
 Veneer:
 Oak, Walnut - Elle cannot guarantee continuity in the appearance of veneer pan Elle process pre-veneered boards that cannot be book or colour matched.

 ription
 Code
 W
 D
 H



	Description	Code	W	D	Н	Price
						MFC Veneer
	Kassini Fixed Height Secretarial Return for Rectangular Desks*	KSR10/6 RH KSR10/6 LH	1000 1000	600 600	725 725	
	Horizontal and vertical wire management as standard. Right-hand shown.	*Please Note: Secretarial return for fronted rectangular a			ompatible wit	th rectangular, bow
			1 1 1 1 1 1 1 1	1 1 1 1 1 1 1		
	Kassini Fixed Height Secretarial Return for Crescent Workstations**	KSR10/6C RH KSR10/6C LH	1000 1000	600 600	725 725	
1	Horizontal and vertical wire management as standard. Right-hand shown.	**Please Note: Secretarial return for bow fronted crescen	crescent wo	rkstations or	nly compatible	e with crescent,
		L				
	Kassini Fixed Height Kidney Desk	КК20	2000	800	725	
	Horizontal and vertical wire management as standard.		(Extreme)			
7	Kassini Fixed Height 120 Degree Workstation					
	Can be configured as singular workstations or in modules of 3, 6, 9 etc. Horizontal and vertical wire management as standard.			1 1 1 1 1 1 1 1 1 1		
	1200mm x 1200mm (800mm Ends)	K120	2078	800	725	
	1000mm x 1000mm (600mm Ends)	K120/6	(Extreme) 1732 (Extreme)	600	725	
	Kassini Fixed Height Radius Reception Desk	KRR20	2000	800	725	
	Horizontal and vertical wire management as standard.	KRR18	(Extreme) 1800 (Extreme)	800	725	
			1 1 1 1 1 1 1	1 1 1 1 1 1 1 1		
	Kassini Fixed Height Reception Desk	KRD RH	1850 (Extreme)	1800 (Extreme)	725	
I	850mm and 600mm ends are slightly curved. Horizontal and vertical wire management as standard. Bight-band shown	KRD LH	1850 (Extreme)	1800 (Extreme)	725	

Right-hand shown.

### **KASSINI**

Workstations and Accessories

Silver RAL 9006 (Standard), Black Graphite, White RAL 9003 Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White White with Black (Add £25 Per Top), White with Laurentii Wenge (Add £25 Per Top), White with Plywood (Add £35 Per Top) - 25mm Panels Only Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels.

Veneer

Workstations and A	ccessories	White Veneer: Oak,	e with Black (Add £25 Per 10) e with Plywood (Add £35 Per Walnut - Elite cannot guarant process pre-veneered boards	Top) - 25mm Pane ee continuity in the	els Only appearance of ven	eer panels.
	Description	Code	W	D	Н	Price
	Reception Shelf Right-hand shown.	RS RH RS LH	1850 1850	1650 1650	225 225	MFC Ver
F	Reception Glass Shelf 10mm toughened clear glass. Right-hand shown.	RSG RH RSG LH	1850 1850	1650 1650	215 215	
T	Reception Shelf	RS 14 RS 12 RS 10	1400 1200 1000	300 300 300	225 225 225 225	
Ę	<b>Reception Glass Shelf</b> 10mm toughened clear glass.	RSG 14 RSG 12 RSG 10	1400 1200 1000	300 300 300	215 215 215	
	Kassini Linking Workstations Links 800mm and 600mm deep desks. Horizontal and vertical wire management as standard. 1225mm x 1225mm (800mm Ends) 1083mm x 1083mm (800mm Ends) 1025mm x 1025mm (600mm Ends)	KLW8/6 KLW8/4 KLW6	1225 1083 1025	1225 1083 1025	725 725 725 725	
ľ	CPU Holder Adjustable CPU holder for PC towers. Rotates a full 360 degrees for complete access to cables and ports. Includes mounting kit. Black White	CPU (Black) CPUW (White)	76-254 76-254	-	305-508 305-508	

Metal: MFC:

Edging:

## **KASSINI**

Accessories and Meeting Ends

Description

Flex Monitor Arm

Silver RAL 9006 (*Standard*), Black Graphite, White RAL 9003 Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White White with Black (*Add £25 Per Top*), White with Laurentii Wenge (*Add £25 Per Top*), White with Pilvood (*Add £35 Per Top*). *25mm Panels Only* Oak, Walnut - Elice cannot guarantee contruity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.

W

Metal: MFC: Edging:

Veneer:

Code

D

Price

Veneer

	-
ь—	
1	









Flex Monitor Arm Post Mounted					
Monitor arm with two folding links. Manual post height adjustment.					
Silver Clamp on Desk Fixing White Clamp on Desk Fixing	F2LMP (Silver) F2LMP/W (White)	-	- -	-	
Silver Bolt through Desk Fixing White Bolt through Desk Fixing	F2LMPBT (Silver) F2LMPBT/W (White)	-	- -	- -	
Flex Monitor Arm Post Mounted					
Monitor arm with two folding links. Front end height adjustment.					
Silver Clamp on Desk Fixing White Clamp on Desk Fixing	F2LGP (Silver) F2LGP/W (White)	-	- -	- -	
Silver Bolt through Desk Fixing White Bolt through Desk Fixing	F2LGPBT (Silver) F2LGPBT/W (White)	-	- -	-	
Flex Double Monitor Arm Post Mounted					
Double arm, each with two folding links. Manual post height adjustment and front end adjustment.					
Silver Clamp on Desk Fixing White Clamp on Desk Fixing	F4LGP (Silver) F4LGP/W (White)	-	- -	-	
		- - - - - - - - - - - - - - - - - - -			
Kassini Meeting Extension	KSCMT16	1600	660	725	MFC
Complete with Kassini support leg.	KSCMT12 KSCMT8	1200 800	600 600	725 725	
Kassini 120 Degree Workstation Meeting	KSCMT120	1600	660	725	
Extension Complete with Kassini support leg.	KSCMT120	1600	660	725	
Extension	KSCMT120	1600	660	725	
Extension Complete with Kassini support leg.	KSCMT120	1600	660	725	
Extension Complete with Kassini support leg.	KSCMT120 KDWSCMT18	1600 1800	660	725	
Extension Complete with Kassini support leg. Suitable for 120 degree desking.					

#### **KASSINI** Conference Tables

 Metal:
 Silver RAL 9006 (Standard), Black Graphite, White RAL 9003

 MFC:
 Ash, Autumn Cherry, Beech, Chester Oak, English Walnut, Grey, Laurentii Wenge, Natural Nebraska Oak, Grey Nebraska Oak, White

 Edging:
 White with Black (Add 225 Per Top), White with Laurentii Wenge (Add 225 Per Top), White with Plywood (Add 235 Per Top) - 25mm Panels Only

 Veneer:
 Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels.

	Veneer: Oak, Walnut - Elite cannot guarantee continuity in the appearance of veneer panels. Elite process pre-veneered boards that cannot be book or colour matched.				
Description	Code	W	D	Н	Price
Kassini Fixed Height Barrel Shaped Conference Table Fully welded underframe. Supplied with 1 x 2080mm (Approx) Underframe. Seating up to 8 People.	KBST24	2400	1200	725	MFC Veneer
Kassini Fixed Height Oval Conference Table Fully welded underframe. Supplied with 1 x 1580mm (Approx) Underframe. Seating up to 8 People.	KOVT24	2400	1200	725	
Kassini Fixed Height Double D Ended Conference Table Fully welded underframe. Supplied with 1 x 1650mm (Approx) Underframe. Seating up to 8 People. Supplied with 1 x 2050mm (Approx) Underframe. Seating up to 8 People.	KCONF1A KCONF1B	2000 2400	1200 1200	725 725	
Kassini Fixed Height Double D Ended Conference Table Fully welded underframe. Supplied in 2 x 1700mm Sections with 2 x 1440mm (Approx) Underframes. Seating up to 10 People.	KCONF2	3400	1200	725	
Kassini Fixed Height Double D Ended Conference Table Fully welded underframe. Supplied in 2 x 1700mm Sections with	KCONF3	4800	1200	725	

Supplied in 2 x 1700mm Sections with 2 x 1440mm (Approx) Underframes and 1 x 1400mm Centre Section with 1 x 1130mm

(Approx) Underframe.

Seating up to 14 People.