



Axent

AX200A

2023
EDITION

Introduction

To complete our deluxe task range, Axent was designed to compete in the high volume mesh market.

Axent offers two levels of task seating solution; available with or without seat slide, allowing for specification to a wider audience.

Enhanced aesthetics are achieved with a sleek curved backrest, which integrates seamlessly into the seat and mechanism of the chair.




Features

- Fixed height posture curved backrest..
- Height adjustable lumbar panel..
- Synchronised body responsive mechanism..
- Weight activated movement..
- Four position lockable tilt..
- Height adjustable arms..
- Detachable seat pads..
- Black frame..
- Black moulded base..
- Retro-fit headrest available..
- 150kg Maximum weight capacity.

Dimensions

- SH) Seat Height: 450-550mm.
- SW) Seat Width: 500mm.
- SD) Seat Depth: 460mm.
- BH) Back Height: 580mm.
- BW) Back Width: 470mm.



Standards

All models are designed to conform to the following standards.

Design and Dimension Ref	Description	
BS EN 1335-1:2000	Office furniture. Office work chair. Dimensions. Determination of dimensions.	BS5940-1:1980
BS EN 1335-2:2000	Office furniture. Office work chair.	BS5940-2:1990
Safety Requirements		
BS EN 1335-3:2000	Office furniture. Office work chair. Safety test methods.	BS5459-2:1990
BS EN 13761:2002	Office furniture – Visitors chairs.	
BS 3044:1990	Guide to ergonomics principles in the design and selection of office furniture .	BS3044:1958
BS 4875-1:2001	Strength and stability of furniture. Methods for determination of strength of chairs and stools.	BS4875-1:1985;BS4875-3:1985
BS 5459-2: 2000	Specification for performance requirements and tests for office furniture.	BS5459-2:1990
	Part 2: Office pedestal seating for use by persons weighing up to 150kg and for use up to 24 hours per day.	BS5459-2:1990
BS EN ISO 9241-5:2000	Ergonomic requirements for office work with visual display terminals (VDTs). Guidance on the work environment.	BS7179:Part 5:1990
BS EN 15373:2007	Furniture strength & stability.	
90/270/EC	EC Directive.	
HS(G)57	Seating at work (HSE).	
Fabrics and Flammability		
Ref	Description	
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.	BS5852:1990 Part1&2
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.	BS5852:1990 Part1&2
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.	BS7176:1995
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.	
BS5852:1990		
Specification		
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.	BS2543:1995
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	BS5790-1:1996
Miscellaneous		
Ref	Description	
ANSI/BIFMAx5.1 1993	Five star base, static load & impact strength tests.	
BS3900:E1,2 &3:1991	Methods of test for paints.	



Axent

AX200A



Planscape Business Interiors

Unit T3

The Maltings

Stanstead Abbots

Hertfordshire

SG12 8HG

01920 872655

sales@planscape.co.uk

Planscape